

Product data sheet Elkem Microsilica® 925T

Elkem ASA Silicon Products Drammensveien 169 P.O. Box 334 Skøyen NO-0213 OSLO Tel: +47 22 45 01 00 www.elkem.com

Only for Asia and Oceania

Description	Elkem Microsilica ${}^{'\!\!\mathrm{B}}$ is a key ingredient in advanced low and ultra-low cement castables.
	It is highly reactive during sintering, which leads to improved ceramic bonding at reduced firing temperatures.
Applications	Elkem Microsilica ${}^{l\!$
Benefits	 Improved flow – easier to cast Improved particle packing - denser castables Gelification (coagulation) in gunning mixes Improved hot-strength properties
Chemical analysis & physical data	Weight% Spec* SiO2 min. 92.0 H2O** max. 1.5
	PropertiesSpec*Loss on Ignition% max. 3.0Coarse Particles >45µm% max. 2.0Bulk density **kg/m³ 250-380* Test methods are available upon request* When packed
Packaging	The product is available in 25 kg or 20 kg small bags and various sized big bags. Please contact our sales representative for more details.
Storage and handling	 Avoid dust generation Store material properly, protected from moisture and contamination
Health, safety & environment	Please consult our Product Safety information on our website: https://www.elkem.com/silicon-products/refractories/microsilica/page-1/.
Sustainability	For Elkem, sustainability is central to our business strategy. Our mission is to provide advanced material solutions shaping a better and more sustainable future, adding value to our stakeholders globally. We are committed to reduction in embodied carbon emission. For further information, please visit www.elkem.com/sustainability/ or contact us to learn more about our sustainability roadmap.
Additional information and contact	For further information, please contact our local sales representative. Our specialists will assist you in solving individual problems.

1/1