

## 1. Identification of the Product and Supplier

Product name: **SIDISTAR<sup>®</sup> XP 180 (Slurry)**

Product application: Additive to polymeric organic materials.

Address/Phone No.: **Elkem ASA,  
Silicon Products**  
P.O. Box 334 Skøyen  
N-0213 Oslo, Norway  
Telephone: + 47 22 45 01 00  
Telefax: + 47 22 45 01 11  
<https://www.elkem.com/silicon-products/>

Contact: [support.siliconproducts@elkem.com](mailto:support.siliconproducts@elkem.com)

REACH registration number: 01-2119379499-16-XXXX

REACH and CLP helpdesk: REACH and CLP website:  
<https://echa.europa.eu/support/helpdesks/>

Emergency Phone No.: not applicable for non-hazardous substances.

## 2. Hazards Identification

Classification of the substance The product does not meet the criteria for hazard classification according to Regulation (EC) No1272/2008 (CLP) and the UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS, 9<sup>th</sup> rev.).

Hazard pictogram: N/A (not applicable)

Signal word: N/A (not applicable)

Hazard statements: N/A (not applicable)

Precautionary statements: N/A (not applicable)

## 3. Composition/Information on Ingredients

Synonyms: Slurry of fumed silica, aqueous dispersion of amorphous silicon dioxide (H<sub>2</sub>O + SiO<sub>2</sub>). Silica slurry.

### Constituents (analysis):

CHEMICAL NAME	CAS #	EINECS #	% w/w
Silicon Dioxide (amorphous silica fume)	112945-52-5 (ex. 7631-86-9)	231-545-4	48-52
Water	7732-18-5	231-791-2	balance

The product is a nanoform as it meets the criteria as nanomaterial in accordance with Commission Recommendation 2011/696/EU.

© COPYRIGHT ELKEM ASA 2022

#### 4. First Aid Measures

Inhalation: Remove exposed person from dusty area. Fresh air.  
Skin contact: Wash contaminated skin with water and/or a mild detergent.  
Eye contact: Rinse eyes with water/saline solution. If discomfort persists, obtain medical attention.  
Ingestion: Not applicable.

#### 5. Fire Fighting Measures

The product is not combustible and there is no inherent risk of explosion.

Extinguishing media: Not applicable, depending on surrounding fire.

#### 6. Accidental Release Measures

Avoid exposure to dust of the product. Released material should be collected in suitable containers.

#### 7. Handling and Storage

Handling: Avoid dust generation. See section 8.  
Storage: Keep away from hydrofluoric acid (HF). Not to be stored at temperatures near to or below 0 °C.

#### 8. Exposure Controls/Personal Protection

##### A) Occupational exposure controls:

Avoid inhalation of dust. Ensure good dust ventilation during use. Wear a particulate respirator according to EN 149 FFP 2S/3S during dust generating operations. Use protective gloves and eye protection. Facilities for eye flushing should be available.



##### Occupational Exposure Limits (ACGIH<sup>1)</sup>, 2016):

Substance	[CAS No.]	8hr TWA		ACGIH TLV 15 minute STEL		Notations
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	
PNOS <sup>2)</sup>	-	-	10 <sup>(I)</sup> /3 <sup>(R)</sup>	-	-	-
Silica, crystalline (SiO <sub>2</sub> ) Quarz*	[14808-60-7]	-	0.025 <sup>(R)</sup>	-	-	A2
	Cristobalite* [14464-46-1]	-	0.025 <sup>(R)</sup>	-	-	A2

<sup>1)</sup> American Conference of Governmental Industrial Hygienists

<sup>2)</sup> Particulates (Insoluble or Poorly Soluble) Not Otherwise Specified. Amorphous silica fume is considered to be PNOS. Specific TLVs for the individual substances have not been established or have been withdrawn, respectively.

<sup>(I)</sup> Inhalable fraction

<sup>(R)</sup> Respirable fraction

\* Although NanoSilica Powder is completely amorphous, crystalline silica polymorphs might be formed upon heating at temperatures > 500 °C. The above mentioned exposure limit values for Quartz and Cristobalite are therefore not related to the original delivered product but potentially to a further processed downstream product.

## B) Environmental exposure controls

### Limit values for PM<sub>10</sub> and PM<sub>2.5</sub> (Directive 2008/50/EC):

	<b>Averaging period</b>	<b>Limit value</b>
PM <sub>10</sub>	One day	50 µg/m <sup>3</sup> ★
PM <sub>10</sub>	Calendar year	25 µg/m <sup>3</sup>
PM <sub>2.5</sub>	Calendar year	15 µg/m <sup>3</sup>

★Not to be exceeded more than 30 times a calendar year.

---

## 9. Physical and Chemical Properties

Form:	Ultrafine amorphous powder
Colour:	White
Odour:	Odourless
Melting Point (°C):	approx. 1700
Solubility (Water):	Poorly water soluble
Solubility (Organic solvents):	Insoluble/Slightly soluble
Specific Gravity (water =1):	2.2
Bulk density (kg/m <sup>3</sup> ) approx.:	100-200
Specific surface (m <sup>2</sup> /g):	30-50
pH value:	4-6

---

## 10. Stability and reactivity

Conditions to avoid: See below

Materials to avoid: Hydrofluoric acid (HF).

Hazardous Decomposition Product(s):

The product reacts with hydrofluoric acid (HF) forming toxic gas (SiF<sub>4</sub>).

Heating the product above 1000 °C can result in the formation of crystalline SiO<sub>2</sub>-modifications as cristobalite / tridymite which may cause pulmonary fibrosis (silicosis).

---

## 11. Toxicological Information

The product does not meet the criteria for hazard classification according to Regulation (EC) No 1272/2008 (CLP) and the UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS, 9<sup>th</sup> rev.).

### Acute effects:

INGESTION: Dust from the product may cause mechanical irritation and dehydration of mucous membranes.

INHALATION: Dust from the product may cause mechanical irritation and dehydration of mucous membranes.

SKIN CONTACT: Dust from the product may cause mechanical irritation and dehydration.

EYE CONTACT: Dust from the product may cause mechanical irritation and dehydration.

**Chronic effects:**

Inhalation of microsilica dust is considered to entail minimal risk of pulmonary fibrosis (silicosis). However, chronic obstructive lung disease is suspected following long term exposure (years) for concentrations above recommended occupational exposure limits.

Endocrine disrupting properties: The product is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

---

**12. Ecological Information**

Elkem Nanosilica is not characterised as dangerous for the environment.

MOBILITY:	The product is not mobile under normal environmental conditions.
PERSISTENCE:	Not relevant for inorganic substances.
BIOACCUMULATION:	Not relevant.
ECOTOXICITY:	The product does not meet the classification criteria for ecotoxicological endpoints in accordance with Regulation (EC) 1272/2008 (CLP) and the UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS, 9 <sup>th</sup> rev.).

Endocrine disrupting properties: The product is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

---

**13. Disposal Considerations**

The material should be recovered for recycling if possible.  
This material is not classified as hazardous waste according to Commission Decisions 2000/532/EC and 2001/118/EC. Prior to disposal of large quantities of this material advice should be sought from the relevant Waste Regulation Authority. Nanoparticles as waste might be regarded as potentially hazardous until proven otherwise.

---

**14. Transport Information**

UN	-
IMDG/IMO	Not subject to classification
ADR/RID	Not subject to classification
ICAO/IATA	Not subject to classification

---

**15. Regulatory Information**

A chemical safety assessment (CSA) has been carried out for the substance in accordance with Regulation (EC) 1907/2006 (REACH).

The text of this Product Safety Information is prepared in compliance with:

- Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
- Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).
- UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS, 9<sup>th</sup> rev.).

The product is listed in the following international chemical inventories:

Europe	EINECS
USA	TSCA
Canada	DSL
Australia	AICS
New Zealand	NZIoC
Japan	MITI inventory (ENCS)
Korea	KECI
China	IECSC
Philippines	PICCS
Sweden	BASTA
Taiwan	NECSI

The product meets the criteria as nanomaterial in accordance with the Recommendation of the European Commission 2011/696/EU.

---

## 16. Other Information

According to Chapter 1.5.2 of the UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Article 58 (2)(a), and Article 59(2)(b) of (EC) No 1272/2008 (CLP), which amends REACH article 31(1), safety data sheets (SDS) are only required for substances and mixtures that meet the harmonised criteria for physical, health or environmental hazards. Since this product does not meet these criteria, an SDS according to (EU) 2020/878 is not issued. In order to communicate relevant HSE-(health, safety and environmental-) information, this product safety information (PSI) is provided instead.

In accordance with REACH article 31(5), safety data sheets shall be supplied in an official language of the Member State(s) where the substance or mixture is placed on the market. This obligation, however, only applies for hazard-classified products which require a formal SDS. Since this product is not hazard-classified, the product safety information (PSI) is, in accordance with current regulation, provided in English language only.

REACH article 31(7) requires relevant exposure scenarios from the Chemical Safety Report (CSR) to be annexed to the SDS. However, according to REACH Annex I, section 0. (Introduction), subsection 0.6. no 4 and 5, exposure scenarios are only required for hazard-classified substances or mixtures. Since this product is not hazard-classified according to CLP, there is no requirement for exposure scenarios.

Rev 01: corrected limit values in table (8B)